

RESEARCH PAPERS BY PROF. ALICJA SANIEWSKA

1. Saniewska A., Orlikowski L.B., 1984: Występowanie, chorobotwórczość i biologia *Stagonospora curtisii* (Berk.) Sacc. – przyczyny czerwonej plamistości hipeastrum (*Hippeastrum* × *hybr.* hort.). [Occurrence, pathogenicity, and biology of *Stagonospora curtisii* (Berk.) Sacc. – the main threat of red spot to *Hippeastrum* – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 9: 101–114.
2. Saniewska A., Orlikowski L.B., 1986/87: Chemiczna ochrona hipeastrum przed *Stagonospora curtisii* (Berk.) Sacc. I. Ocena skuteczności fungicydów *in vitro*. [Chemical control of *Stagonospora curtisii* (Berk.) Sacc. I. Effectiveness of fungicides *in vitro* – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 11: 229–234.
3. Saniewska A., Orlikowski L.B., 1986/87: Chemiczna ochrona hipeastrum przed *Stagonospora curtisii* (Berk.) Sacc. II. Zwalczenie czerwonej plamistości w warunkach szklarniowych. [Chemical control of *Stagonospora curtisii* (Berk.) Sacc. II. Chemical control of red spot on plants in the greenhouse – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 11: 236–242.
4. Orlikowski L.B., Saniewska A., 1988: Influence of some environmental factors on population density of *Fusarium oxysporum* f. sp. *callistephi* in soil. I. Occurrence of *Fusarium oxysporum* f. sp. *callistephi* and *F. oxysporum* on aster plants and in soil. Pr. Inst. Sadown. Kwiac. Ser. B 12: 177–181.
5. Saniewska A., Orlikowski L.B., 1989: Występowanie, szkodliwość i elementy biologii *Stagonospora curtisii* (Berk.) Sacc. na narcyzach. [Occurrence, harmfulness and some elements of biology of *Stagonospora curtisii* (Berk.) Sacc. occurred on *Narcissus* – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 14: 179–189.
6. Saniewska A., 1989: Chemiczna ochrona narcyzów przed *Stagonospora curtisii* (Berk.) Sacc. [Chemical control of *Narcissus* against *Stagonospora curtisii* (Berk.) Sacc. – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 14: 191–197.
7. Saniewska A., 1990: Występowanie, szkodliwość i elementy biologii *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. – przyczyny fuzariozy naczyniowej astra letniego (*Callistephus chinensis* (L.) Nees). Typescript. Ph. D. Thesis. Instytut Sadownictwa i Kwiaciarnictwa, Skierniewice.
8. Saniewska A., Orlikowski L.B., 1991: Population dynamics of *Fusarium oxysporum* f. sp. *callistephi* and *F. oxysporum* in aster growing site. Phytopathol. Pol. 1, 13: 23–27.
9. Saniewska A., Orlikowski L.B., 1991: Relationship between crop plants and population dynamics of *Fusarium oxysporum* f. sp. *callistephi* in substrate. Phytopathol. Pol. 1, 13: 28–31.

10. Saniewska A., 1991: Przyczyny wędnięcia i zamierania astrów chińskich (*Callistephus chinensis* (L.) Nees) w Polsce. [Causes of wilting and deceasing of China aster (*Callistephus chinensis* (L.) Nees) in Poland – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 16: 171–181.
11. Saniewska A., 1991: Mykoflora nasion astrów ze szczególnym uwzględnieniem występowania *Fusarium oxysporum* f. sp. *callistephi*. [Mycoflora of China aster seeds with special regard of the occurrence of *Fusarium oxysporum* f. sp. *callistephi* – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 16: 181–188.
12. Saniewska A., 1991: Rola nasion w przenoszeniu się *Fusarium oxysporum* f. sp. *callistephi*. [The role of seeds in the transfer of *Fusarium oxysporum* f. sp. *callistephi* – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 16: 189–198.
13. Saniewska A., Orlikowski L.B., Karpiński S., Rzepkowska A., 1992: Ocena odporności odmian astrów chińskich na *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. [Evaluation of resistance of China aster to *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 17: 99–106.
14. Saniewska A., 1992: Wpływ przedsiewnego zaprawiania nasion na kiełkowanie, zdrowotność i wzrost astra chińskiego. [The influence of seed dressing on germination, healthiness and growth of China aster – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 17: 107–113.
15. Saniewska A., Orlikowski L.B., 1992: Próby określenia ras *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. w Polsce. [Study on the occurrence of *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. races in Poland – English summary]. Pr. Inst. Sadown. Kwiac. Ser. B 17: 115–120.
16. Saniewska A., 1992: Zależność pomiędzy liczebnością *Fusarium oxysporum* f. sp. *callistephi* a rozwojem choroby na astrach w okresie wegetacji w warunkach szklarniowych i polowych. [Relationship between population densities of *Fusarium oxysporum* f. sp. *callistephi* and development of disease on China aster during vegetation season in greenhouse and field conditions – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 17: 121–132.
17. Saniewska A., 1992: Morfologia i elementy biologii *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. [Morphology and elements of biology of *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. – Engl. summary]. Pr. Inst. Sadown. Kwiac. Ser. B 17: 133–139.
18. Saniewska A., Orlikowski L.B., 1992: Występowanie, szkodliwość dla astrów i dynamika populacji *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. w zależności od pola i rośliny uprawnej. [Occurrence, harmfulness for China aster, and population dynamics of *Fusarium oxysporum* Schl. f. sp. *callistephi* (Beach) Snyder et Hans. in relation to field conditions and cultivated crop – Engl. summary]. Mater. XXXII Ses. Nauk. Inst. Ochr. Rośl. Postery: 109–112.
19. Saniewska A., Saniewski M., 1992: Studies on the factor responsible for reddish colouration of mechanically injured tissue and tissue infected by fungus, *Stagonospora curtisii* (Berk.) Sacc. in *Hippeastrum* × *hybr.* hort. Folia Hort. 4: 3–9.

20. Saniewska A., 1992: Influence of mechanical wounding of *Hippeastrum* × *hybr.* hort. bulbs on infection by *Stagonospora curtisii* (Berk.) Sacc. *Acta Hortic.* 325: 719–724.
21. Saniewska A., 1992: The inhibitory effect of garlic homogenate and ajoene, a compound of garlic, on growth of *Stagonospora curtisii* (Berk.) Sacc. *in vitro.* *Acta Hortic.* 325: 787–792.
22. Orlikowski L.B., Saniewska A., 1993: Influence of nonhost plants on population density of *Fusarium oxysporum* f. *callistephi* and disease severity of China aster. *Hod. Rośl. Aklim. Nasienn.* 37 (Spec. Ed. P. III: Proceedings of the Third European Seminar: Fusarium – Mycotoxins, Taxonomy, Pathogenicity and Host Resistance, Radzików, Poland, September 22–24, 1992): 15–20.
23. Saniewska A., Orlikowski L.B., 1993: The behaviour of *Fusarium oxysporum* f. sp. *callistephi* and *F. oxysporum* in China aster growing site. *Hod. Rośl. Aklim. Nasienn.* 37 (Spec. Ed. P. III: Proceedings of the Third European Seminar: Fusarium – Mycotoxins, Taxonomy, Pathogenicity and Host Resistance, Radzików, Poland, September 22–24, 1992): 119–124.
24. Saniewska A., 1993: Możliwości biologicznej ochrony astrów przed fuzariozą naczyniową. [Possibilities of biological control of China aster against of vascular fusariosis – Engl. summary]. *Mater. XXXIII Ses. Nauk. Inst. Ochr. Rośl.*: 167–174.
25. Saniewska A., 1993: Ocena skuteczności fungicydów w zwalczaniu *Fusarium oxysporum* f. sp. *callistephi* *in vitro.* [Evaluation of effectiveness of fungicides in control of *Fusarium oxysporum* f. sp. *callistephi* *in vitro* – Engl. summary]. *Zesz. Nauk. Inst. Sadown. Kwiac.* 1: 111–117.
26. Saniewska A., 1993: Chemiczna ochrona astrów przed *Fusarium oxysporum* f. sp. *callistephi*. [Chemical control of *Fusarium oxysporum* f. sp. *callistephi*, a pathogen of China aster – Engl. summary]. *Zesz. Nauk. Inst. Sadown. Kwiac.* 1: 119–126.
27. Saniewska A., Orlikowski L.B., 1993: Studies on the biological control of *Phytophthora cryptogea* Pethybr. et Laff. III. *In vitro* inhibition of *P. cryptogea* development by garlic homogenate and ajoene. *Phytopathol. Pol.* 5, 17: 59–65.
28. Saniewska A., Sobiczewski P., Orlikowski L.B., 1993: Antagonism of *Bacillus* sp. S13 against *Stagonospora curtisii* and other fungi pathogens of ornamental plants. *Phytopathol. Pol.* 6, 18: 31–38.
29. Saniewska A., 1993: Ocena wrażliwości odmian lwiej paszczy na *Puccinia antirrhini* i możliwości chemicznej ochrony przed tym patogenem. [Evaluation of sensitivity of snapdragon cultivars on *Puccinia antirrhini* and possibilities of the chemical control of the pathogen – Engl. summary]. In: *Materiały z Sympozjum „Biotyczne środowisko uprawne a zagrożenie chorobowe roślin”*, Olsztyn, wrzesień 7–9, 1993 r. PTFit, AR-T, Olsztyn: 377–384.
30. Saniewska A., Orlikowski L.B., 1994: Wykorzystanie homogenatu czosnku w zwalczaniu niektórych chorób roślin. [Effectiveness of garlic homogenate in the control of some plant diseases – Engl. summary]. *Mater. XXXIV Ses. Nauk. Inst. Ochr. Rośl.*: 139–143.

31. Saniewska A., 1995: The garlic-derived diallyl disulphide as the inhibitor of mycelium growth of *Stagonospora curtisii* (Berk.) Sacc. *Phytopathol. Pol.* 9, 21: 37–43.
32. Saniewska A., 1995: The effect of some phenolics on growth of *Stagonospora curtisii* (Berk.) Sacc. (= *Phoma narcissi* (Aderh.) Boerema, de Gruyter et Noordel., comb. nov.) *in vitro*. *Phytopathol. Pol.* 10, 22: 5–11.
33. Orlikowski L.B., Saniewska A., 1995: Antifungal effect of garlic homogenate and possibility of its use in the control of *Phytophthora cryptogea* Pethybr. et Laff. In: Environmental biotic factors in integrated plant disease control. Proceedings of 3rd Conference of European Foundation for Plant Pathology, Poznań, Poland, September 5–9, 1994. Ed. M. Mańka. PTFit, Poznań: 431–435.
34. Saniewska A., Orlikowski L.B., Sobiczewski P., 1995: Effectiveness of *Bacillus* sp. in the control of *Phytophthora cryptogea* Pethybr. et Laff. In: Environmental biotic factors in integrated plant disease control. Proceedings of 3rd Conference of European Foundation for Plant Pathology, Poznań, Poland, September 5–9, 1994. Ed. M. Mańka. PTFit, Poznań: 479–484.
35. Saniewska A., 1995: Możliwości ochrony lwiej paszczy przed *Phyllosticta antirrhini* Sydow. [Possibilities of chemical control of *Phyllosticta antirrhini* Sydow. in snapdragon (*Antirrhinum majus* L.) – Engl. summary]. *Zesz. Nauk. Inst. Sadown. Kwiac.* 2: 117–128.
36. Saniewska A., Orlikowski L.B., Karpiński S., Rzepkowska A., Mateńko H., 1995: Ocena wrażliwości odmian i linii hodowlanych astrów letnich (*Callistephus chinensis*) na *Fusarium oxysporum* f. sp. *callistephi*. In: V Ogólnopolski Zjazd Hodowców Roślin Ogrodniczych 23–24 luty 1995 r., Skierniewice, Część I. Instytut Sadownictwa i Kwaciarsstwa, Skierniewice: 166–173.
37. Orlikowski L., Saniewska A., Skrzypczak Cz., Wojdyła A., 1995: Postęp w biologicznej ochronie roślin przed chorobami. [Progress in the biological control of plant diseases – Engl. summary]. *Mater. XXXV Ses. Nauk. Inst. Ochr. Rośl. Referaty*: 93–98.
38. Orlikowski L.B., Saniewska A., Szczepaniak J., Majdziak K., 1995: Influence of media for *Bacillus* sp. on activity of bacteria toward *Phytophthora* spp. In: Biological control of soil-borne and post-harvest pathogens. VI Conference of The Polish Phytopathological Society, Skierniewice, Poland, April 20–21, 1995. Eds. L.B. Orlikowski, Cz. Skrzypczak. The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, Skierniewice: 9–13.
39. Orlikowski L.B., Saniewska A., Skrzypczak Cz., Wojdyła A., 1995: Postęp w biologicznej ochronie roślin przed chorobami. [Progress in biological control of plant diseases – Engl. summary]. In: Materiały Ogólnopolskiej Konferencji Naukowej „Nauka Praktyce Ogrodniczej”, Akademia Rolnicza w Lublinie, Lublin, 14–15 września 1995 r. Akademia Rolnicza, Lublin: 407–410.
40. Saniewska A., 1996: Effect of polyamine biosynthesis inhibitors on growth of *Stagonospora curtisii* (Berk.) Sacc. (= *Phoma narcissi* (Aderh.) Boerema, de Gruyter et Noordel., comb. nov.). *Phytopathol. Pol.* 11: 23–29.

41. Orlikowski L.B., Saniewska A., 1996: *Bacillus polymyxa* and garlic extract in the biological control of some soil-borne pathogens. Proc. 48th Int. Symp. Crop Prot. Univ. Gent P. II: 491–498.
42. Saniewska A., 1996: Potential use garlic compounds and fungicides in the control of fungi on seeds of some ornamental plants. In: Effectiveness of some microorganisms and plant extracts in the control of plant diseases. VII Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, April 18–19, 1996, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. Research Institute of Pomology and Floriculture, Skierniewice: 141–147.
43. Saniewska A., 1996: Wpływ ekstraktu z czosnku i niektórych związków izolowanych z czosnku na wzrost i rozwój *Phyllosticta antirrhini* Sydow. [The inhibitory effect of garlic extract and some of garlic compounds on growth and development of *Phyllosticta antirrhini* Sydow – Engl. summary]. In: Choroby roślin a środowisko. Materiały z sympozjum naukowego (Poznań, 27–28 czerwca 1996) połączonego z uczczeniem jubileuszu 50-lecia pracy w Akademii Rolniczej w Poznaniu prof. dra Karola H. Mańki, członka rzeczywistego PAN. Ed. M. Mańka. PTFit, Poznań: 155–163.
44. Saniewska A., Budzianowski J., 1997: The nature of red pigment formed in wounded and infected *Hippeastrum* tissues by *Stagonospora curtisii* (Berk.) Sacc. (*Phoma narcissi*). Acta Hort. 430: 843–848.
45. Saniewska A., 1997: Zwalczanie *Phoma narcissi* na cebulach *Hymenocallis narcissiflora*. [Control of *Phoma narcissi* on the bulbs of *Hymenocallis narcissiflora* – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 37, 2: 387–389.
46. Saniewska A., 1997: Use of garlic in protecting *Antirrhinum majus* against *Puccinia antirrhini* Diet. et Holow. on snapdragon. In: Proceedings of the Symposium on “Effectiveness and practical application of biological control in plant protection”, Plant Protection Committee Polish Academy of Sciences. Skierniewice, Poland, March 18–19, 1997. Ed. E. Niemczyk. Instytut Sadownictwa i Kwiaciarnictwa, Skierniewice: 129–135.
47. Saniewska A., 1997: Antifungal activity of fraction containing red pigment formed due to mechanical damage to tissues of *Hippeastrum*. In: Proceedings of the Symposium on “Effectiveness and practical application of biological control in plant protection”, Plant Protection Committee Polish Academy of Sciences. Skierniewice, Poland, March 18–19, 1997. Ed. E. Niemczyk. Instytut Sadownictwa i Kwiaciarnictwa, Skierniewice: 137–140.
48. Smoliński S., Saniewska A., 1997: The occurrence of melanins in *Phoma narcissi*. In: *Trichoderma* spp., other microorganisms and plant extracts in plant diseases control. VIII Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, April 21–22, 1997, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, Skierniewice: 77–80.

49. Saniewska A., Smoliński S., 1997: The role of melanin in pathogenicity of *Phoma narcissi*. In: *Trichoderma* spp., other microorganisms and plant extracts in plant diseases control. VIII Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, April 21–22, 1997, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. The Polish Phytopathological Society, Research Institute of Pomology and Floriculture, Skierniewice: 142–145.
50. Saniewska A., Dyki B., 1997: Red pigment formation during penetration of *Hippeastrum* scales by *Phoma narcissi* and development of disease symptoms. Proc. 49th Int. Symp. Crop Prot. Univ. Gent: 951–952.
51. Saniewska A., Dyki B., 1997: Induction of red pigment in white petals of *Hippeastrum* during infection by *Phoma narcissi* and by mechanical injuries. Acta Agrobot. 50, 1–2: 41–48.
52. Saniewska A., Dyki B., 1997: Anatomical study on red pigment formation during penetration and spread of *Phoma narcissi* (Aderh.) Boerema, de Gruyter et Noordel., comb. nov. within tissues of *Hippeastrum* × hybr. hort. bulb scales. Phytopathol. Pol. 14: 49–54.
53. Saniewska A., Dyki B., 1997: Development of *Phoma narcissi* (Aderh.) Boerema, de Gruyter et Noordel., comb. nov. within tissues of *Hippeastrum* × hybr. hort. leaves. Phytopathol. Pol. 14: 55–60.
54. Saniewska A., Prus-Głowacki W., 1998: Mycelial growth, pathogenicity and electrophoretic characteristics of some enzymes among isolates of *Phoma narcissi* from *Hippeastrum*, *Narcissus* and *Hymenocallis*. Phytopathol. Pol. 15: 5–14.
55. Saniewska A., Orlikowski L.B., Wojdyła A., 1998: Wykorzystanie *Bacillus polymyxa* w zwalczaniu patogenów odglebowych i nalistnych. [*Bacillus polymyxa* in the control of soil-borne and leaf pathogens – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 38, 1: 199–203.
56. Saniewska A., 1998: Możliwości wykorzystania związków czosnku w ochronie wyżlinu przed *Puccinia antirrhini*. Zesz. Nauk. AR Krak. 333, Ses. Nauk. 57, 2: 773–776.
57. Smoliński S., Saniewska A., 1998: Influence of humic substances on pathogenicity of *Phoma narcissi*. In: Biological agents and their effectiveness in the control of plant pathogens. IX Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, April 23–24, 1998, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. Research Institute of Pomology and Floriculture, Skierniewice: 134–136.
58. Saniewska A., Smoliński S., 1998: The influence of tricyclazole and glycine on pathogenicity of *Phoma narcissi*. In: Biological agents and their effectiveness in the control of plant pathogens. IX Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, April 23–24, 1998, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. Research Institute of Pomology and Floriculture, Skierniewice: 137–140.

59. Smoliński S., Saniewska A., 1998: The influence of glycine on pathogenicity of *Phyllosticta antirrhini*. In: Biological agents and their effectiveness in the control of plant pathogens. IX Conference of the Section for Biological Control of Plant Diseases of The Polish Phytopathological Society, April 23–24, 1998, Skierniewice, Poland. Eds. L.B. Orlikowski, Cz. Skrzypczak. Research Institute of Pomology and Floriculture, Skierniewice: 141–143.
60. Saniewska A., 1998: Czynniki biotyczne i abiotyczne hamujące wzrost i rozwój *Phoma narcissi* (Aderh.) Boerema, de Gruyter et Noordel, comb. nov. [Biotic and abiotic factors inhibiting growth and development of *Phoma narcissi* (Aderh.) Boerema – Engl. summary]. Zesz. Nauk. Inst. Sadown. Kwiac. Monogr. Rozpr.
61. Saniewska A., Żuradzka I., 1999: Antygrzybowe właściwości nowych odmian czosnku (*Allium sativum* L.). [Antifungal activity of a new cultivars of garlic (*Allium sativum* L.) – Engl. summary]. In: Materiały z VIII Ogólnopolskiego Zjazdu Naukowego „Hodowla Roślin Ogrodniczych u progu XXI wieku”, 4–5 lutego 1999 r. Vol. 2. Akademia Rolnicza, Lublin: 429–432.
62. Saniewska A., 1999: Stymulator wzrostu roślin w ochronie wyżłinu przed *Puccinia antirrhini*. [Plant growth stimulator in protection of *Antirrhinum majus* against *Puccinia antirrhini* – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 39, 2: 785–787.
63. Saniewska A., 1999: Influence of *Bacillus polymyxa* on the growth and development of *Fusarium oxysporum* f. sp. *tulipae*. Acta Agrobot. 52, 1–2: 5–10.
64. Saniewska A., 1999: Effect of polyamine biosynthesis inhibitors on *in vitro* growth of *Phyllosticta antirrhini* and infection *Antirrhinum majus* L. by the pathogen. Acta Agrobot. 52, 1–2: 11–18.
65. Saniewska A., 2000: Wpływ *Bacillus polymyxa* na hamowanie rozwoju rdzy wyżłinu. [Influence of *Bacillus polymyxa* and development of snapdragon rust – Engl. summary]. Roczn. AR Pozn. 321, Ogrodn. 30: 139–145.
66. Saniewska A., 2000: Nowe możliwości ochrony ismeny przed czerwoną plamistością powodowaną przez *Phoma narcissi* Aderh. [New possibility of the control of *Phoma narcissi* Aderh. – Engl. summary]. Roczn. AR Pozn. 323, Ogrodn. 31, cz. I: 149–153.
67. Saniewska A., 2000: Wpływ preparatu Atonik AL na hamowanie wzrostu i rozwoju niektórych gatunków grzybów chorobotwórczych dla roślin ozdobnych. [The inhibitory effect of Atonik AL on growth and development of some pathogenic fungi of ornamental plants – Engl. summary]. Zesz. Nauk. Inst. Sadown. Kwiac. 7: 145–153.
68. Saniewska A., 2000: Oddziaływanie pochodnych strobiluryny na *Puccinia antirrhini* Diet. et Holw. [Influence of synthetic analogs of strobilurin on *Puccinia antirrhini* Diet. et Holw. – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 40, 2: 664–666.
69. Saniewska A., Żuradzka I., 2001: Porównanie fungistatycznych właściwości czterech odmian czosnku (*Allium sativum* L.) na przykładzie kilku gatunków

- patogenicznych grzybów. [Comparison of antifungal activity of four cultivars of garlic (*Allium sativum* L.) for several pathogenic fungi – Engl. summary]. Folia Hortic. 13, 1A (Proceedings of the IX Scientific Horticulture Plant Breeding Symposium, Warsaw, 1–2 February 2001): 405–412.
70. Saniewska A., 2001: Możliwości wykorzystania biopreparatu Polyversum w ochronie astrów chińskich przed *Fusarium oxysporum* f. sp. *callistephi*. [Potential use of biopreparation Polyversum in the protection of China aster against *Fusarium oxysporum* f. sp. *callistephi* – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 41, 2: 798–801.
 71. Saniewska A., 2001: Oddziaływanie biopreparatu Polyversum na *Phoma narcissi* i *Fusarium oxysporum* f. sp. *tulipae*. [Influence of biopreparation Polyversum on *Phoma narcissi* and *Fusarium oxysporum* f. sp. *tulipae* – Engl. summary]. Biul. Nauk. UW-M Olszt. 12: 353–359.
 72. Saniewska A., Budzianowski J., 2001: The inhibitory effect of fractions containing red pigment formed due to mechanical damage of *Hippeastrum* × *hybr.* hort. scales on growth and development of *Phoma narcissi*. Phytopathol. Pol. 22: 25–37.
 73. Saniewska A., 2001: The effect of chitosan on limitation of growth and development of some pathogenic fungi for ornamental plants. Acta Agrobot. 54, 1: 17–29.
 74. Saniewska A., Jurzysta M., Biały Z., 2001: Differential antifungal activity of alfalfa (*Medicago sativa* L.) saponins originated from roots and aerial parts for some ornamental plant pathogens. Acta Agrobot. 54, 1: 31–43.
 75. Saniewska A., 2002: The effect of gums induced by *Fusarium oxysporum* f. sp. *tulipae* in tulip bulbs on the mycelium growth and development of the pathogen *in vitro*. Zesz. Probl. Post. Nauk Roln. 481: 577–583.
 76. Saniewska A., Budzianowski J., 2002: The inhibitory effect of fractions containing red pigment formed due to mechanical damage of *Hippeastrum* × *hybr.* hort. scales on growth and development of formae speciales of *Fusarium oxysporum*. Zesz. Probl. Post. Nauk Roln. 481: 585–595.
 77. Saniewska A., 2002: Wpływ gum indukowanych w cebulach tulipana przez *Fusarium oxysporum* Schlecht. f. sp. *tulipae* na wzrost i rozwój *in vitro* form specjalnych *Fusarium oxysporum* niepatogenicznych dla tulipana. [Influence of gums induced by *Fusarium oxysporum* Schlecht. f. sp. *tulipae* in tulip bulbs on the growth and development *in vitro* of the *Fusarium oxysporum* special forms – Engl. summary]. Zesz. Probl. Post. Nauk Roln. 488: 773–778.
 78. Saniewska A., 2002: Wpływ inhibitorów biosyntezy poliamin na ograniczenie infekcji wyżłiniu większego (*Antirrhinum majus* L.) przez *Puccinia antirrhini* Diet. et Holw. Zesz. Nauk. AR Krak. 387, Ses. Nauk. 82: 163–166.
 79. Saniewska A., 2002: Oddziaływanie biopreparatu Biosept 33 SL na *Phoma narcissi* Aderh. [Influence of biopreparation Biosept 33 SL on *Phoma narcissi* Aderh. – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 42, 2: 801–803.

80. Saniewska A., 2002: The role of gum induced by *Fusarium oxysporum* Schlecht. Snyd. et Hans. f. sp. *tulipae* Apt. in tulip bulbs on growth and development of the pathogen. Plant Prot. Sci. 38 (Spec. Issue 2: Proceedings of the 6th Conference EFPP 2002, Prague): 432–435.
81. Saniewska A., Biały Z., Jurzysta M., 2003: The effect of alfalfa (*Medicago sativa*) saponins on *Botrytis tulipae* and *Phoma narcissi* growth. Phytopathol. Pol. 27: 15–27.
82. Saniewska A., Wach I., 2003: Inhibitory effect of garlic homogenate and diallyl disulphide on growth and development of *Penicillium* spp. occurring on tulip bulbs. Bull. Pol. Acad. Sci. 51, Biol. Sci. 2: 127–132.
83. Saniewska A., Wach I., 2003: Rozwój fuzariozy powodowanej przez *Fusarium oxysporum* f. sp. *tulipae* na odmianach tulipanów potencjalnie wrażliwych i odpornych na tworzenie się gum w cebulach. [Development of fusariosis, caused by *Fusarium oxysporum* f. sp. *tulipae* on tulip cultivars potentially susceptible and resistant to gum formation on bulbs – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 43, 2: 898–900.
84. Saniewska A., Wach I., 2003: Zdolność *Fusarium oxysporum* f. sp. *tulipae* do infekcji różnych organów tulipana. [Ability of *Fusarium oxysporum* f. sp. *tulipae* for infection of different organs of tulip – Engl. summary]. Folia Hortic. Supl. 1: 583–585.
85. Saniewska A., Giebel J., 2003: Oddziaływanie kwasu tiosalicylowego na wzrost i rozwój *Phoma narcissi*. [The influence of thiosalicylic acid on growth and development of *Phoma narcissi* – Engl. summary]. Folia Hortic. Supl. 1: 586–589.
86. Saniewska A., 2004: Antifungal activity of grapefruit (*Citrus paradisi*) endogenic flavonoids. Zesz. Probl. Post. Nauk Roln. 496: 609–617.
87. Saniewska A., Giebel J., 2004: Hamowanie rozwoju rdzy wyżłinu przez kwas tiosalicylowy. [Inhibition of snapdragon rust development by thiosalicylic acid – Engl. summary]. Progr. Plant Prot. / Post. Ochr. Rośl. 44, 2: 1064–1067.
88. Saniewska A., Dyki B., Jarecka A., 2004: Morphological and histological changes in tulip bulbs during infection by *Fusarium oxysporum* f.sp. *tulipae*. Phytopathol. Pol. 34: 21–39.
89. Saniewska A., Dąbrowska B., Majewska A., 2004: Antifungal activity of horseradish (*Armoracia rusticana* Gaertn.) endogenic compounds. Veg. Crops Res. Bull. 61: 121–131.
90. Saniewska A., Saniewski M., 2004: Inhibitory effect of ethanol vapour on reddish colouration of mechanically injured bulbs of *Hippeastrum* × *hybr.* hort. and on the growth and development of *Phoma narcissi*. Pestycydy 3–4: 79–86.
91. Kamysz W., Saniewska A., Greber K., Łukasiak J., 2004: The effect of temporin A on limitation of growth and development of *Phoma narcissi* *in vitro* and *in vivo*. Pestycydy 3–4: 151–156.
92. Saniewska A., Saniewski M., Urbanek H., 2005: The effect of gums induced by *Fusarium oxysporum* f. sp. *tulipae* in tulip bulbs during flower bud formation on the *in vitro* growth of the pathogen and the production of gum-degrading enzymes. Acta Hortic. 669: 225–231.

93. Saniewska A., Jarecka A., Biały Z., Jurzysta M., 2005: Antifungal activity of saponins from *Medicago arabica* L. shoots against some pathogens. *Allelopathy J.* 16, 1: 105–112.
94. Saniewska A., Dąbrowska B., Majewska A., Jarecka A., 2005: Antifungal activity of essential oil from roots of some Polish local type of horseradish (*Armoracia rusticana* Gaertn.). *Zesz. Probl. Post. Nauk Roln.* 504: 237–243.
95. Saniewska A., Jarecka A., Marasek A., 2005: Biopreparat Biosept 33 SL w ograniczaniu rozwoju rdzy malwy ogrodowej. [Influence of biopreparation Biosept 33 SL on the development of *Alcea rosea* L. rust – Engl. summary]. *Zesz. Probl. Post. Nauk Roln.* 504: 689–696.
96. Saniewska A., Jarecka A., 2005: Pochodne strobiluryny w ograniczaniu rozwoju *Puccinia liliacearum* Duby, patogena *Ornithogalum umbellatum* L. [Strobilurin derivatives in limitation of development of *Puccinia liliacearum* Duby, the pathogen of *Ornithogalum umbellatum* L. – Engl. summary]. *Progr. Plant Prot. / Post. Ochr. Rośl.* 45, 2: 1058–1060.
97. Saniewska A., Horbowicz M., Saniewski M., 2005: The effect of salicylic acid and acetylsalicylic acid on red pigment formation in mechanically wounded scales of *Hippeastrum* × *hybr.* hort. and on the growth and development of *Phoma narcissi*. *Acta Agrobot.* 58, 2: 81–89.
98. Saniewski M., Saniewska A., Urbanek H., 2005: The role of jasmonates in defence reactions in plants under biotic stresses. *IOBC/WPRS Bull.* 28, 10 (Breeding for Plant Resistance to Pests and Diseases): 34–43.
99. Saniewska A., Horbowicz M., Saniewski M., 2006: The effect of chitosan and tulip polysaccharide gum on red pigment formation in wounded bulbs of *Hippeastrum* × *hybr.* hort. *Zesz. Probl. Post. Nauk Roln.* 509: 361–368.
100. Jarecka A., Saniewska A., Dąbrowska A., Majewska A., 2006: Wpływ związków aktywnych chrzanu (*Armoracia rusticana* Gaertn.) na wzrost i rozwój *Fusarium oxysporum* f. sp. *tulipae*. [The effect of active compounds of horseradish (*Armoracia rusticana* Gaertn.) on the growth and development of *Fusarium oxysporum* f. sp. *tulipae* – Engl. summary]. *Zesz. Probl. Post. Nauk Roln.* 510: 235–246.
101. Saniewska A., Saniewski M., Horbowicz M., 2006: The effect of D,L- β -aminobutyric acid resistance inducer on the growth and development of *Phoma narcissi* in *Hippeastrum hybr.* hort. *Zesz. Probl. Post. Nauk Roln.* 510: 567–575.
102. Saniewska A., Jarecka A., 2006: Wpływ endogennych flawonoidów grejpfruta (*Citrus paradisi* Macf.) na wzrost i rozwój dwóch form specjalnych *Fusarium oxysporum* Schlecht. [Influence of grapefruit (*Citrus paradisi* Macf.) endogenic flavonoids on the growth and development of two special forms *Fusarium oxysporum* Schlecht. – Engl. summary]. *Progr. Plant Prot. / Post. Ochr. Rośl.* 46, 2: 517–520.
103. Saniewska A., Jarecka A., Biały Z., Jurzysta A., 2006: Antifungal activity of saponins originated from *Medicago hybrida* against some ornamental plant pathogens. *Acta Agrobot.* 59, 2: 51–58.

104. Kamysz W., Saniewska A., Greber K., Nadolski P., Jarecka A., Łukasiak J., 2006: Synthesis and the fungistatic action of N^α-palmitoyl-L-lysine against some pathogenic fungi of ornamental plants. *Pestycydy/Pesticides* 3–4: 31–37.
105. Saniewska A., Saniewski M., 2006: Inhibitory effect of diallyl disulphide on reddish colouration of mechanically injured bulbs of *Hippeastrum* × *hybr.* hort. and on the growth of *Phoma narcissi*, the pathogen of *Hippeastrum*. *Pestycydy/Pesticides* 3–4: 57–65.
106. Saniewski M., Horbowicz M., Saniewska A., 2006: The effect of ruthenium red, a Ca⁺⁺ channel blocker, on a red pigment formation in mechanically wounded scales of *Hippeastrum* × *hybr.* hort., and on the growth and development of *Phoma narcissi*. *J. Fruit Ornament. Plant Res.* 14: 211–222.
107. Saniewski M., Saniewska A., 2007: The effect of inhibitors of lipoxygenase and cyclooxygenase on the mycelium growth of *Phoma narcissi*. *Zesz. Probl. Post. Nauk Roln.* 523: 195–201.
108. Saniewska A., Saniewski M., 2007: The effect of *trans*-2-hexenal, and *trans*-3-nonenal on the mycelium growth of *Phoma narcissi* *in vitro*. *Rocz. AR Pozn.* 383, *Ogrodn.* 41: 189–193.
109. Rataj-Guranowska M., Pieczul K., Wach I., Saniewska A., 2007: Limited cross-infectivity and vegetative incompatibility between *Fusarium oxysporum* f. sp. *callistephi*, *F. oxysporum* f. sp. *dianthi*, *F. oxysporum* f. sp. *narcissi* and *F. oxysporum* f. sp. *tulipae*. *Phytopathol. Pol.* 43: 77–92.
110. Saniewska A., Saniewski M., Horbowicz M., 2007: The effect of salicylhydroxamic acid on reddish colouration of mechanically injured bulbs of *Hippeastrum* × *hybr.* hort. and on the growth and development of *Phoma narcissi*. *Pestycydy/Pesticides* 1–2: 55–62.
111. Jarecka A., Saniewska A., 2007: The effect of D,L-β-aminobutyric acid on the growth and development of *Fusarium oxysporum* f. sp. *tulipae* (Apt.). *Acta Agrobot.* 60, 1: 101–105.
112. Saniewska A., Saniewski M., 2007: The inhibitory effect of tropolone and hinokitiol on the mycelium growth of *Phoma narcissi* *in vitro*. *Acta Agrobot.* 60, 1: 107–112.
113. Jarecka J., Saniewska A., 2007: Wpływ heksenalu i nonenalu na wzrost i rozwój *Fusarium oxysporum* f. sp. *tulipae*. [An effect of hexenal and nonenal on the growth and development of *Fusarium oxysporum* f. sp. *tulipae* – Engl. summary]. *Progr. Plant Prot. / Post. Ochr. Rośl.* 47, 2: 123–127.
114. Saniewski M., Saniewska A., Kanlayanarat S., 2007: Biological activities of tropolone and hinokitiol: the tools in plant physiology and their practical use. *Acta Hortic.* 755: 133–142.
115. Saniewski M., Saniewska A., Horbowicz M., Kanlayanarat S., 2007: The inhibitory effect of hinokitiol and tropolone on reddish colouration in mechanically wounded scales of *Hippeastrum* × *hybr.* hort. and on the development of *Phoma narcissi*, the pathogen of *Hippeastrum*. *Acta Hortic.* 755: 533–541.

116. Saniewski M., Miyamoto K., Okubo H., Saniewska A., Puchalski J., Ueda J., 2007: Gummosis in tulip (*Tulipa gesneriana* L.): focus on hormonal regulation and carbohydrates metabolism. *Floricult. Ornam. Biotechnol.* 1: 34–40.
117. Kuczer M., Dziubasik K., Łuczak M., Majewska A., Kamysz W., Saniewska A., Konopińska D., 2008: The search for new biological activities for selected insect peptides. *Pestycydy/Pesticides* 1–2: 5–11.
118. Bahyrycz A., Saniewska A., Konopińska D., 2008: Anti-pathogenic properties of plant peptide hormone phytosulfokines (PSK's) and its selected analogues. *Pestycydy/Pesticides* 1–2: 109–117.
119. Saniewski M., Saniewska A., Urbanek H., 2008: Inhibition of anthocyanins accumulation in detached leaves of *Crassula multicaeva* Lem. around the infected spots caused by *Pestalotia* sp. *Zesz. Probl. Post. Nauk Roln.* 524: 393–400.
120. Jarecka A., Saniewska A., Biały Z., Jurzysta M., 2008: The effect of *Medicago arabica*, *M. hybrida* and *M. sativa* saponins on the growth and development of *Fusarium oxysporum* Schlecht. f. sp. *tulipae* Apt. *Acta Agrobot.* 61, 2: 147–155.
121. Jarecka A., Saniewska A., 2008: Oddziaływanie izotiocyanianu allilu na wzrost i rozwój *Fusarium oxysporum* f. sp. *tulipae*. [Influence of allyl-isothiocyanate on the growth and development of *Fusarium oxysporum* f. sp. *tulipae* – Engl. summary]. *Progr. Plant Prot. / Post. Ochr. Rośl.* 48, 1: 178–182.
122. Saniewska A., Jarecka A., 2008: The inhibitory effect of tropolone and hinokitiol on the growth and development of *Fusarium oxysporum* f. sp. *tulipae*. *Phytopathol. Pol.* 50: 33–41.
123. Jarecka A., Węgrzynowicz-Lesiak E., Saniewska A., 2008: Ethylene production in tulip bulbs potentially susceptible and resistant to gum formation after infection by *Fusarium oxysporum* f. sp. *tulipae*. *Phytopathol. Pol.* 50: 43–49.
124. Saniewski M., Saniewska A., Urbanek H., in press: Elicytacja grzybów i bakterii przez oligo- i polisacharydy. [Elicitation of fungi and bacteria by oligo- and polysaccharides – Engl. summary]. *Zesz. Probl. Post. Nauk Roln.*

Alicja Saniewska